

Manuscript—A Package Emulating Typewriter “Typesetting”

Matěj Cepl, `matej at ceprovi dot cz`

This document describes package `manuscript`
version 1.5, from 2003/06/17

1 Purpose

Purpose of this package is to emulate appearance of the document written on classical typewriter as much as possible. So far, whenever backward requirement of some institutions (especially universities) to provide paper or thesis in the layout developed in times before personal computers emerges on any TeX-related public forum, it is met with strong (and sometimes even angry) resistance and many advises how to overcome resistance of the institution. I totally agree with the basic premise of this attempt (of course, TeX was created for making “masterpieces of typography”).

Having said that, this package goes exactly in the opposite direction than these advises. Instead of trying to avoid typewriter-driven layout, it tries to emulate them as much as possible. Of course, the most important motivation for such package is challenge and curiosity how far I can get using just TeX tools in this endeavor. However, there are also some real reasons why this package might be useful. First of all there are situations when the directives of backward layout are non-negotiable (e. g., in commercial setting or with too stiff university). Moreover, my conciliatory character leads me more to honor other cultures (and although very short-lived and feeble, there *was* a typographical culture of typewriters) rather than rejecting them. Actually, during work on this package my appreciation of strict puritanical simplicity of typewriters typesetting just grew (and of course, it is obvious that in some aspects typesetting documents with this package would create documents of the quality never possible with the real typewriter—just TeX’s optimal line breaking with few divided words makes a lot of difference).

If you like it, enjoy! If not, sorry, just use another package.

Another objective was to secure compatibility both with classical `article`-like packages as well as with packages from `Koma-script` family.

2 The Coding

`MS@ps` The first of all we need to create new condition `MS@ps` to control package options—whether font `Courier` should be used (if true) or `cmtt`. We cannot use `ifthen` package as it redefines catcodes and conflicts with the redefinition of quotes for `cmtt` font (see below).

```
1 \newif\ifMS@ps
```

`\DeclareOption` Declare the options by setting `MS@ps` variable. The options `cm` and `cr` set use of
`\ExecuteOptions` font `cmtt` or `Courier`, respectively. We want to use `Courier` as default option.

```
\ProcessOptions 2 \DeclareOption{cm}{\MS@psfalse}
3 \DeclareOption{cr}{\MS@pstrue}
4 \ExecuteOptions{cr}
5 \ProcessOptions\relax
```

We need to read some additional packages which are needed for good working of the package: `setspace` because whole document should be doublespaced (except for footnotes etc.), `fontenc` because we should be able to print all European characters (it could be redefined in the document itself *after* loading `manuscript` package, and `ragged2e` because of linebreaking and ragged justification.

```
6 \RequirePackage{setspace}
7 \RequirePackage[T1]{fontenc}
8 \RequirePackage[NewCommands]{ragged2e}
9 \RequirePackage{soul}
```

`\rmdefault` We need to set up the default font for Roman characters based on the boolean variable `MS@ps`.

```
10 \ifMS@ps
11   \renewcommand{\rmdefault}{pcr}
12 \else
13   \renewcommand{\rmdefault}{cmtt}
14 \fi
```

`\descfont` There is no bold in `cmtt`, so that I redefine also some fonts—usefull only for
`\sectfont` koma-script package, because I do not care too much for `article` :-).

```
15 \@ifundefined{scr@parskip}{\}%
16   \renewcommand*{\descfont}{\scshape}
17   \renewcommand*{\sectfont}{\large\scshape }
```

`\MS@q*` This is the most obscure part of the package.¹ There are no problems with
‘ ‘
’ especially quotes. We have to change catcode of , and ‘ characters and redefine couples of these characters to be printed in `cmss` font in the Old Knuth’s coding OT1.

¹I have recieved substantial help with the deep TeX work from Ondřej “Koala” Vácha. Thank you.

Moreover, and it was the bug in the previous version, we have to distinguish between single quote and double quote, where each of them should be printed as different character. Now, it is getting to be really messy :-).

```

18 \iffalse
19   \catcode96=13
20   \def‘‘{{\usefont{OT1}{cmss}{m}{n}\symbol{92}}}
21   \catcode39=13
22   \def’{\protect\MS@quote}
23   \def\MS@quote{\futurelet \nextchar \MS@questquote}
24   \def\MS@questquote{\ifx ‘\nextchar \let\MS@next=\MS@dbllq
25     \else \let\MS@next=\MS@sglq
26     \fi \MS@next}
27   \def\MS@dbllq{{\usefont{OT1}{cmss}{m}{n}\symbol{125}}}
28   \def\MS@sglq{{\usefont{OT1}{cmss}{m}{n}\symbol{39}}}
29 \fi

```

`\sfdefault` Of course, in typewriter there are no different fonts for sans-serif characters and
`\ttdefault` there is no distinction between normal and `tt` characters, thus both of these are set to be same as roman characters.

```

30 \renewcommand{\sfdefault}{\rmdefault}
31 \renewcommand{\ttdefault}{\rmdefault}

```

`typearea` Of course, typewriter should follow classical “one inch on all sides” margins (later, variant supporting European equivalent on A4 paper may be added). The best is to use special package `fullpage`. However, that does not work well with `koma-script` family of packages, there we have to distinguish between the two and use macro `\typearea` native of `koma-script`.

```

32 \@ifundefined{typearea}
33   {\RequirePackage{fullpage}}
34   {\typearea[Opt]{13}}

```

`\textbf` Italic characters are not enough distinctive in `cmtt` font, so we shall redefine macro
`\bfseries` `\emph` to be same as in the typewriter age—underlining characters.

```

\emph 35 \renewcommand{\textbf}[1]{\textsc{#1}}
\em    36 \def\bfseries{\scshape}
37
38 \setul{0.3ex}{0.15ex}
39 \renewcommand{\emph}[1]{\ul{#1}}
40 \def\em{\egroup \expandafter \ul \expandafter{\iffalse}\fi}

```

`\spaceskip` There are some additional characteristics which should be set-up emulating behavior of typewriter: footnotes should be set in the normal-size font, document should be double-spaced, ragged right. Space between characters have to be set via `\spaceskip`—it is zero on default for `tt` fonts.

```

41 \let\footnotesize\@empty
42 \doublespacing
43 \AtBeginDocument{%
44   \raggedright

```

```

45   \parindent 1em
46   \spaceskip .333333 em plus .333333 em minus .111111 em }

\thefootnote If the idea of the whole package is to emulate typewriter style, then we have to do
\@makefnmark something about footnotes. There is obviously nothing like superscripted footnote
\@makefntext mark on typewriters. Moreover, I have also changed indentation of the body of
footnote.

47 \def\thefootnote{\@arabic\c@footnote/}
48 \def\@makefnmark%
49   {\hbox{\normalfont\@thefnmark}}
50 \renewcommand\@makefntext[1]{%
51   \leftskip 1.8em \noindent
52   \llap{\normalfont\@thefnmark\ }#1}%

\@maketitle The standard titlehead of the document is really ugly when doublespaced. There-
fore we should redefine \@maketitle macro. However, the trick below (creation of
new macro which envelopes the original macro) is better, because it is compatible
both with standard article-like classes and koma-script family. Redefinition of
\huge is a kind of ugly hack, but it should be enough robust and simple to be OK.

53 \let\MS@maketitle=\@maketitle
54 \if@titlepage
55   \def\@maketitle{%
56     \hyphenpenalty=5000
57     \let\huge\LARGE
58     \MS@maketitle }
59 \else
60   \def\@maketitle{%
61     \singlespacing
62     \hyphenpenalty=5000
63     \let\huge\LARGE
64     \MS@maketitle }
65 \fi

```

That's all folks! :-)

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

	Symbols	<code>\@thefnmark</code> 49, 52	B
<code>\'</code>	<u>18</u>	<code>\''</code>	<u>18</u> <code>\bfseries</code> <u>35</u>
<code>\@arabic</code>	47		
<code>\@makefnmark</code>	<u>47</u>		C
<code>\@makefntext</code>	<u>47</u>	<code>\c@footnote</code>	47
<code>\@maketitle</code>	<u>53</u>	<code>_</code>	52 <code>\catcode</code> 19, 21

D	<code>\ifx</code> 24	<code>\rmdefault</code> <u>10</u> , 30, 31
<code>\DeclareOption</code> <u>2</u>	L	S
<code>\descfont</code> <u>15</u>	<code>\large</code> 17	<code>\scshape</code> 16, 17, 36
<code>\doublespacing</code> 42	<code>\leftskip</code> 51	<code>\sectfont</code> <u>15</u>
E	<code>\llap</code> 52	<code>\setul</code> 38
<code>\egroup</code> 40	M	<code>\sfdefault</code> <u>30</u>
<code>\em</code> <u>35</u>	<code>\MS@ps</code> <u>1</u>	<code>\singlespacing</code> 61
<code>\emph</code> <u>35</u>	<code>\MS@q*</code> <u>18</u>	<code>\spaceskip</code> <u>41</u>
<code>\ExecuteOptions</code> <u>2</u>	N	<code>\symbol</code> 20, 27, 28
<code>\expandafter</code> 40	<code>\nextchar</code> 23, 24	T
F	<code>\noindent</code> 51	<code>\textbf</code> <u>35</u>
<code>\footnotesize</code> 41	<code>\normalfont</code> 49, 52	<code>\textsc</code> <u>35</u>
<code>\futurelet</code> 23	P	<code>\thefootnote</code> <u>47</u>
H	<code>\parindent</code> 45	<code>\ttdefault</code> <u>30</u>
<code>\hbox</code> 49	<code>\ProcessOptions</code> <u>2</u>	<code>\typearea</code> <u>32</u>
I	<code>\protect</code> 22	U
<code>\if@titlepage</code> 54	R	<code>\ul</code> 39, 40
<code>\iffalse</code> 18, 40	<code>\raggedright</code> 44	

Change History

1.0	General: Initial version 1	have get rid off rcs.sty again. 1
1.2	General: <code>\fileversion</code> and <code>\filedate</code> which does not seem to work at all being replaced by <code>\RCS</code> command from <code>rcs</code> package. 1	<code>\sectfont</code> : Courier is better, so that this hack is better to be used only for <code>cmtt</code> font. 2
1.4	General: With help of Stepan Kasal (stepan at matsrv dot mat dot cas dot cz) I have managed to get <code>\fileversion</code> working, so I	1.5
		<code>\@makefntext</code> : Whole redefinition of footnotes added. 4
		<code>\@maketitle</code> : When <code>\titlepage</code> option is on, we need not <code>singlespacing</code> 4
		<code>\rmdefault</code> : With CM-Super we need not <code>\ae</code> package anymore. 2