

# The pdfcolparallel package

Heiko Oberdiek  
<heiko.oberdiek at googlegmail.com>

2010/01/11 v1.3

## Abstract

This packages fixes bugs in `parallel` and improves color support by using several color stacks that are provided by pdfTeX since version 1.40.

## Contents

<b>1 Usage</b>	<b>1</b>
1.1 Option <code>rulebetweencolor</code>	2
1.2 Future	2
<b>2 Implementation</b>	<b>2</b>
2.1 Identification	2
2.2 Load and fix package <code>parallel</code>	2
2.3 Color stack support	7
2.4 Redefinitions	7
<b>3 Test</b>	<b>10</b>
<b>4 Installation</b>	<b>12</b>
4.1 Download	12
4.2 Bundle installation	12
4.3 Package installation	12
4.4 Refresh file name databases	12
4.5 Some details for the interested	13
<b>5 References</b>	<b>13</b>
<b>6 History</b>	<b>13</b>
[2007/09/09 v1.0]	13
[2007/12/12 v1.1]	13
[2008/08/11 v1.2]	14
[2010/01/11 v1.3]	14
<b>7 Index</b>	<b>14</b>

## 1 Usage

```
\usepackage{pdfcolparallel}
```

The package `pdfcolparallel` loads package `parallel` [1] and redefines some macros to fix bugs.

If color stacks are available then package `parallel` is further patched to support them.

## 1.1 Option `rulebetweencolor`

Package `pdfcolparallel` also fixes the color for the rule between columns. Default color is `\normalcolor`. But this can be changed by using option `rulebetweencolor` for `\setkeys{parallel}` (see package `keyval`). The option takes a color specification as value. If the value is empty, then the default (`\normalcolor`) is used. Examples:

```
\setkeys{parallel}{rulebetweencolor=blue},
\setkeys{parallel}{rulebetweencolor={red}},
\setkeys{parallel}{rulebetweencolor={}}, % \normalcolor is
used
\setkeys{parallel}{rulebetweencolor=[rgb]{1,0,.5}}
```

## 1.2 Future

If there will be a new version of package `parallel` that adds support for color stacks, then this package may become obsolete.

# 2 Implementation

## 2.1 Identification

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{pdfcolparallel}%
4 [2010/01/11 v1.3 Fixed parallel with color stacks support (HO)]%
```

## 2.2 Load and fix package `parallel`

Package `parallel` is loaded. Before options of package `pdfcolparallel` are passed to package `parallel`.

```
5 \DeclareOption*{%
6   \PassOptionsToPackage{\CurrentOption}{parallel}%
7 }
8 \ProcessOptions\relax
9 \RequirePackage{parallel}[2003/04/13]
10 \RequirePackage{infwarerr}[2007/09/09]

\pcp@ColorPatch
11 \begingroup\expandafter\expandafter\expandafter\endgroup
12 \expandafter\ifx\csname currentgrouplevel\endcsname\relax
13   \def\pcp@ColorPatch{}%
14 \else
15   \def\pcp@ColorPatch{%
16     \@ifundefined{set@color}{%
17       \gdef\pcp@ColorPatch{}%
18     }{%
19       \gdef\pcp@ColorPatch{%
20         \gdef\pcp@ColorResets{}%
21         \bgroup
22         \aftergroup\pcp@ColorResets
23         \aftergroup\egroup
24         \let\pcp@OrgSetColor\set@color
25         \let\set@color\pcp@SetColor
26         \edef\pcp@GroupLevel{\the\currentgrouplevel}%
27       }%
28     }%
29   \pcp@ColorPatch
30 }
```

\pcp@SetColor

```
31 \def\pcp@SetColor{%
32   \ifnum\pcp@GroupLevel=\currentgrouplevel
33     \let\pcp@OrgAfterGroup\aftergroup
34     \def\aftergroup{%
35       \g@addto@macro\pcp@ColorResets
36     }%
37     \pcp@OrgSetColor
38     \let\aftergroup\pcp@OrgAfterGroup
39   \else
40     \pcp@OrgSetColor
41   \fi
42 }%
43 \fi
```

\pcp@CmdCheckRedef

```
44 \def\pcp@CmdCheckRedef#1{%
45   \begingroup
46   \def\pcp@cmd{#1}%
47   \afterassignment\pcp@CmdDo
48   \long\def\reserved@a
49 }
50 \def\pcp@CmdDo{%
51   \expandafter\ifx\pcp@cmd\reserved@a
52   \else
53     \edef\x*{\expandafter\string\pcp@cmd}%
54     \@PackageWarningNoLine{pdfcolparallel}{%
55       Command \x* has changed.\MessageBreak
56       Supported versions of package 'parallel':\MessageBreak
57       \space\space 2003/04/13\MessageBreak
58       The redefinition of \x* may\MessageBreak
59       not behave correctly depending on the changes%
60     }%
61   \fi
62   \expandafter\endgroup
63   \expandafter\def\pcp@cmd
64 }
65 \def\pcp@SwitchStack#1#2{}
66 \def\pcp@SetCurrent#1{}
```

\ParallelText

```
67 \pcp@CmdCheckRedef\ParallelText{%
68   \everypar{}%
69   \@restorepar
70   \begingroup
71   \hbadness=3000 %
72   \let\footnote=\ParallelFootnote
73   \ParallelWhichBox=0 %
74   \global\setbox\ParallelLBox=\vbox\bgroup
75   \hsize=\ParallelLWidth
76   \aftergroup\ParallelAfterText
77   \begingroup
78   \afterassignment\ParallelCheckOpenBrace
79   \let\x=%
80 }{%
81   \everypar{}%
82   \@restorepar
83   \@nobreakfalse
84   \begingroup
85   \hbadness=3000 %
86   \let\footnote=\ParallelFootnote
```

```

87 \ParallelWhichBox=0 %
88 \global\setbox\ParallellBox=\vbox\bgroup
89 \hsize=\ParallellWidth
90 \linewidth=\ParallellWidth
91 \pcp@SwitchStack{Left}\ParallellBox
92 \aftergroup\ParallelAfterText
93 \pcp@ColorPatch
94 \begingroup
95 \afterassignment\ParallelCheckOpenBrace
96 \let\x=%
97 }

```

#### \ParallelRText

```

98 \pcp@CmdCheckRedef\ParallelRText{%
99 \everypar{%
100 \@restorepar
101 \begingroup
102 \hbadness=3000 %
103 \ifnum\ParallelFNMode=\@ne
104 \let\footnote=\ParallelRFootnote
105 \else
106 \let\footnote=\ParallellFootnote
107 \fi
108 \ParallelWhichBox=\@ne
109 \global\setbox\ParallelRBox=\vbox\bgroup
110 \hsize=\ParallelRWidth
111 \aftergroup\ParallelAfterText
112 \begingroup
113 \afterassignment\ParallelCheckOpenBrace
114 \let\x=%
115 }{%
116 \everypar{%
117 \@restorepar
118 \@nbreakfalse
119 \begingroup
120 \hbadness=3000 %
121 \ifnum\ParallelFNMode=\@ne
122 \let\footnote=\ParallelRFootnote
123 \else
124 \let\footnote=\ParallellFootnote
125 \fi
126 \ParallelWhichBox=\@ne
127 \global\setbox\ParallelRBox=\vbox\bgroup
128 \hsize=\ParallelRWidth
129 \linewidth=\ParallelRWidth
130 \pcp@SwitchStack{Right}\ParallelRBox
131 \aftergroup\ParallelAfterText
132 \pcp@ColorPatch
133 \begingroup
134 \afterassignment\ParallelCheckOpenBrace
135 \let\x=%
136 }

```

#### \ParallelParTwoPages

```

137 \pcp@CmdCheckRedef\ParallelParTwoPages{%
138 \ifnum\ParallelBoolVar=\@ne
139 \par
140 \begingroup
141 \global\ParallelWhichBox=\@ne
142 \newpage
143 \vbadness=10000 %
144 \vfuzz=3ex %

```

```

145     \splittopskip=\z@skip
146     \loop%
147         \ifnum\ParallelBoolVar=\@ne%
148             \ifnum\ParallelWhichBox=\@ne
149                 \ifvoid\ParallellLBox
150                     \mbox{} %
151                     \newpage
152                 \else
153                     \global\ParallelWhichBox=\z@
154                 \fi
155             \else
156                 \ifvoid\ParallellRBox
157                     \mbox{} %
158                     \newpage
159                 \else
160                     \global\ParallelWhichBox=\@ne
161                 \fi
162             \fi
163         \ifnum\ParallelWhichBox=\z@
164             \ifodd\thepage
165                 \mbox{} %
166                 \newpage
167             \fi
168             \hbox to\textwidth{%
169                 \vbox{\vsplit\ParallellLBox to.98\textheight}%
170             }%
171         \else
172             \ifodd\thepage\relax
173             \else
174                 \mbox{} %
175                 \newpage
176             \fi
177             \hbox to\textwidth{%
178                 \vbox{\vsplit\ParallellRBox to.98\textheight}%
179             }%
180         \fi
181         \vspace*{\fill}%
182         \newpage
183     \fi
184     \ifvoid\ParallellLBox
185         \ifvoid\ParallellRBox
186             \global\ParallelBoolVar=\z@
187         \fi
188     \fi
189     \ifnum\ParallelBoolVar=\@ne
190         \repeat
191         \par
192     \endgroup
193 \fi
194 }{%
```

Additional fixes:

- Unnecessary white space removed.
- `\ifodd\thepage` changed to `\ifodd\value{page}`.

```

195 \ifnum\ParallelBoolVar=\@ne
196     \par
197     \beginingroup
198         \global\ParallelWhichBox=\@ne
199         \newpage
200         \vbadness=10000 %
201         \vfuzz=3ex %
```

```

202 \splittopskip=\z@skip
203 \loop%
204 \ifnum\ParallelBoolVar=\@ne%
205 \ifnum\ParallelWhichBox=\@ne
206 \ifvoid\ParallellLBox
207 \mbox{}%
208 \newpage
209 \else
210 \global\ParallelWhichBox=\z@
211 \fi
212 \else
213 \ifvoid\ParallellRBox
214 \null
215 \newpage
216 \else
217 \global\ParallelWhichBox=\@ne
218 \fi
219 \fi
220 \ifnum\ParallelWhichBox=\z@
221 \ifodd\value{page}%
222 \null
223 \newpage
224 \fi
225 \hbox to\textwidth{%
226 \pcp@SetCurrent{Left}%
227 \setbox\z@=\vsplit\ParallellLBox to.98\textheight
228 \vbox to.98\textheight{%
229 \@texttop
230 \unvbox\z@
231 \@textbottom
232 }%
233 }%
234 \else
235 \ifodd\value{page}%
236 \else
237 \mbox{}%
238 \newpage
239 \fi
240 \hbox to\textwidth{%
241 \pcp@SetCurrent{Right}%
242 \setbox\z@=\vsplit\ParallellRBox to.98\textheight
243 \vbox to.98\textheight{%
244 \@texttop
245 \unvbox\z@
246 \@textbottom
247 }%
248 }%
249 \fi
250 \vspace*{\fill}%
251 \newpage
252 \fi
253 \ifvoid\ParallellLBox
254 \ifvoid\ParallellRBox
255 \global\ParallelBoolVar=\z@
256 \fi
257 \fi
258 \ifnum\ParallelBoolVar=\@ne
259 \repeat
260 \par
261 \endgroup
262 \pcp@SetCurrent{}%
263 \fi

```

264 }

## 2.3 Color stack support

```
265 \RequirePackage{pdfcol}[2007/12/12]
266 \ifpdfcolAvailable
267 \else
268   \PackageInfo{pdfcolparallel}{%
269     Loading aborted, because color stacks are not available%
270   }%
271   \expandafter\endinput
272 \fi

273 \pdfcolInitStack{pcp@Left}
274 \pdfcolInitStack{pcp@Right}
```

\pcp@Box

```
275 \newbox\pcp@Box
```

\pcp@SwitchStack

```
276 \def\pcp@SwitchStack#1#2{%
277   \pdfcolSwitchStack{pcp@#1}%
278   \global\setbox\pcp@Box=\vbox to Opt{%
279     \pdfcolSetCurrentColor
280   }%
281   \aftergroup\pcp@FixBox
282   \aftergroup#2%
283 }
```

\pcp@FixBox

```
284 \def\pcp@FixBox#1{%
285   \global\setbox#1=\vbox{%
286     \unvbox\pcp@Box
287     \unvbox#1%
288   }%
289 }
```

\pcp@SetCurrent

```
290 \def\pcp@SetCurrent#1{%
291   \ifx\#1\%
292     \pdfcolSetCurrent{}%
293   \else
294     \pdfcolSetCurrent{pcp@#1}%
295   \fi
296 }
```

## 2.4 Redefinitions

\ParallelParOnePage

```
297 \pcp@CmdCheckRedef\ParallelParOnePage{%
298   \ifnum\ParallelBoolVar=\@ne
299     \par
300     \begingroup
301       \leftmargin=\z@
302       \rightmargin=\z@
303       \parskip=\z@skip
304       \parindent=\z@
305       \vbadness=10000 %
306       \vfuzz=3ex %
307       \splittopskip=\z@skip
308     \loop
309       \ifnum\ParallelBoolVar=\@ne
```

```

310     \noindent
311     \hbox to\textwidth{%
312         \hskip\ParallelLeftMargin
313         \hbox to\ParallelTextWidth{%
314             \ifvoid\ParallelLBox
315                 \hskip\ParallelLWidth
316             \else
317                 \ParallelWhichBox=\z@
318                 \vbox{%
319                     \setbox\ParallelBoxVar
320                     =\vsplit\ParallelLBox to\dp\strutbox
321                     \unvbox\ParallelBoxVar
322                 }%
323             \fi
324             \strut
325             \ifnum\ParallelBoolMid=\@ne
326                 \hskip\ParallelMainMidSkip
327                 \vrule
328             \else
329                 \hss
330             \fi
331             \hss
332             \ifvoid\ParallelRBox
333                 \hskip\ParallelRWidth
334             \else
335                 \ParallelWhichBox=\@ne
336                 \vbox{%
337                     \setbox\ParallelBoxVar
338                     =\vsplit\ParallelRBox to\dp\strutbox
339                     \unvbox\ParallelBoxVar
340                 }%
341             \fi
342         }%
343     }%
344     \ifvoid\ParallelLBox
345     \ifvoid\ParallelRBox
346         \global\ParallelBoolVar=\z@
347     \fi
348 \fi%
349 \fi%
350 \ifnum\ParallelBoolVar=\@ne
351 \penalty\interlinepenalty
352 \repeat
353 \par
354 \endgroup
355 \fi
356 }{%
357 \ifnum\ParallelBoolVar=\@ne
358 \par
359 \beginingroup
360 \leftmargin=\z@
361 \rightmargin=\z@
362 \parskip=\z@skip
363 \parindent=\z@
364 \vbadness=10000 %
365 \vfuzz=3ex %
366 \splittopskip=\z@skip
367 \loop
368 \ifnum\ParallelBoolVar=\@ne
369 \noindent
370 \hbox to\textwidth{%
371     \hskip\ParallelLeftMargin

```



```

372         \hbox to\ParallelTextWidth{%
373         \ifvoid\ParallelLBox
374         \hskip\ParallelLWidth
375         \else
376         \pcp@SetCurrent{Left}%
377         \ParallelWhichBox=\z@
378         \vbox{%
379         \setbox\ParallelBoxVar
380         =\vsplit\ParallelLBox to\dp\strutbox
381         \unvbox\ParallelBoxVar
382         }%
383         \fi
384         \strut
385         \ifnum\ParallelBoolMid=\@ne
386         \hskip\ParallelMainMidSkip
387         \begingroup
388         \pcp@RuleBetweenColor
389         \vrule
390         \endgroup
391         \else
392         \hss
393         \fi
394         \hss
395         \ifvoid\ParallelRBox
396         \hskip\ParallelRWidth
397         \else
398         \pcp@SetCurrent{Right}%
399         \ParallelWhichBox=\@ne
400         \vbox{%
401         \setbox\ParallelBoxVar
402         =\vsplit\ParallelRBox to\dp\strutbox
403         \unvbox\ParallelBoxVar
404         }%
405         \fi
406     }%
407 }%
408 \ifvoid\ParallelLBox
409 \ifvoid\ParallelRBox
410 \global\ParallelBoolVar=\z@
411 \fi
412 \fi%
413 \fi%
414 \ifnum\ParallelBoolVar=\@ne
415 \penalty\interlinepenalty
416 \repeat
417 \par
418 \endgroup
419 \pcp@SetCurrent{}%
420 \fi
421 }

```

\pcp@RuleBetweenColorDefault

```

422 \def\pcp@RuleBetweenColorDefault{%
423 \normalcolor
424 }

```

\pcp@RuleBetweenColor

```

425 \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault
426 \RequirePackage{keyval}
427 \define@key{parallel}{rulebetweencolor}{%
428 \edef\pcp@temp{#1}%

```

```

429 \ifx\pcp@temp\@empty
430   \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault
431 \else
432   \edef\pcp@temp{%
433     \noexpand\@ifnextchar[{%
434       \def\noexpand\pcp@RuleBetweenColor{%
435         \noexpand\color\pcp@temp
436       }%
437       \noexpand\pcp@GobbleNil
438     }{%
439       \def\noexpand\pcp@RuleBetweenColor{%
440         \noexpand\color{\pcp@temp}%
441       }%
442       \noexpand\pcp@GobbleNil
443     }%
444     \pcp@temp\noexpand\@nil
445   }%
446 \pcp@temp
447 \fi
448 }

```

\pcp@GobbleNil

```

449 \long\def\pcp@GobbleNil#1\@nil{}
450 </package>

```

### 3 Test

The test file is a modified version of the file that Alexander Hirsch has posted in [de.comp.text.tex](http://de.comp.text.tex): “[parallel.sty und farbiger Text](http://de.comp.text.tex)”<sup>1</sup>

```

451 (*test1)
452 \AtEndDocument{%
453   \typeout{%
454     \typeout{*****}%
455     \typeout{*** \space Check the PDF file manually! \space ***}%
456     \typeout{*****}%
457   \typeout{%
458 }
459 \documentclass{article}
460 \usepackage{xcolor}
461 \usepackage{pdfcolparallel}[2010/01/11]
462
463 \begin{document}
464   \color{green}%
465   Green%
466   \begin{Parallell}{0.47\textwidth}{0.47\textwidth}%
467     \ParallellText{%
468       \textcolor{red}{%
469         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
470         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
471       }%
472     }%
473     \ParallellRText{%
474       \textcolor{blue}{%
475         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
476         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
477       }%
478     }%
479     \ParallellPar
480     \ParallellText{%

```

<sup>1</sup>Url: <http://groups.google.com/group/de.comp.text.tex/msg/6a759cf33bb071a5>

```

481     Default %
482     \color{red}%
483     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
484     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
485 }%
486 \ParallelRText{%
487     Default %
488     \color{blue}%
489     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
490     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
491 }%
492 \ParallelPar
493 \ParallelLText{%
494     \begin{enumerate}%
495     \item left text, left text, left text, left text, %
496         left text, left text, left text, left text,%
497     \item left text, left text, left text, left text, %
498         left text, left text, left text, left text.%
499     \end{enumerate}%
500 }%
501 \ParallelRText{%
502     \begin{enumerate}%
503     \item right text, right text, right text, right text, %
504         right text, right text, right text, right text.%
505     \item right text, right text, right text, right text, %
506         right text, right text, right text, right text.%
507     \end{enumerate}%
508 }%
509 \end{Parallel}%
510 \begin{Parallel}[p]{\textwidth}{\textwidth}%
511     \ParallelLText{%
512         \textcolor{red}{%
513             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
514             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
515             Foo bar bla bla bla.%
516         }%
517     \par
518     Und noch ein Absatz.%
519 }%
520 \ParallelRText{%
521     \textcolor{blue}{%
522         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
523         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
524         Foo bar bla bla bla.%
525     }%
526 }%
527 \end{Parallel}%
528 \begin{Parallel}[p]{\textwidth}{\textwidth}%
529     \ParallelLText{%
530         \rule{1pt}{.98\textheight}\Huge g%
531     }%
532     \ParallelRText{%
533         \rule{1pt}{.98\textheight}y%
534     }%
535 \end{Parallel}%
536 Green%
537 \end{document}
538 </test1>

```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>2</sup>:

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for  $\TeX$  Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain  $\TeX$ :

```
tex pdfcolparallel.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
pdfcolparallel.sty      → tex/latex/oberdiek/pdfcolparallel.sty
pdfcolparallel.pdf     → doc/latex/oberdiek/pdfcolparallel.pdf
test/pdfcolparallel-test1.tex → doc/latex/oberdiek/test/pdfcolparallel-test1.tex
pdfcolparallel.dtx     → source/latex/oberdiek/pdfcolparallel.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

### 4.4 Refresh file name databases

If your  $\TeX$  distribution (`te $\TeX$` , `mik $\TeX$` , ...) relies on file name databases, you must refresh these. For example, `te $\TeX$`  users run `texhash` or `mktextlsr`.

---

<sup>2</sup><ftp://ftp.ctan.org/tex-archive/>

## 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk pdfcolparallel.pdf unpack_files output .
```

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{pdfcolparallel.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
```

## 5 References

- [1] Matthias Eckermann: *The parallel-package*; 2003/04/13;  
[CTAN:macros/latex/contrib/parallel/](http://CTAN:macros/latex/contrib/parallel/).
- [2] Heiko Oberdiek: *The pdfcol package*; 2007/09/09;  
[CTAN:macros/latex/contrib/oberdiek/pdfcol.pdf](http://CTAN:macros/latex/contrib/oberdiek/pdfcol.pdf).

## 6 History

[2007/09/09 v1.0]

- First version.

[2007/12/12 v1.1]

- Adds patch for setting `\linewidth` to fix bug in package `parallel`.
- Package `parallel` is also fixed if color stacks are not available.
- Bug fix, switched stacks now initialized with current color.
- Fix for package `parallel`: `\raggedbottom` is respected.

[2008/08/11 v1.2]

- Code is not changed.
- URLs updated.

[2010/01/11 v1.3]

- Option ‘rulebetweencolor’ added.

## 7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols		G	
<code>\@PackageWarningNoLine</code>	54	<code>\g@addto@macro</code>	35
<code>\@empty</code>	429	<code>\gdef</code>	17, 19, 20
<code>\@ifnextchar</code>	433	<b>H</b>	
<code>\@ifundefined</code>	16	<code>\hbadness</code>	71, 85, 102, 120
<code>\@one</code>	103, 108, 121, 126, 138, 141, 147, 148, 160, 189, 195, 198, 204, 205, 217, 258, 298, 309, 325, 335, 350, 357, 368, 385, 399, 414	<code>\hbox</code>	168, 177, 225, 240, 311, 313, 370, 372
<code>\@nil</code>	444, 449	<code>\hsize</code>	75, 89, 110, 128
<code>\@nobreakfalse</code>	83, 118	<code>\hskip</code>	312, 315, 326, 333, 371, 374, 386, 396
<code>\@restorepar</code>	69, 82, 100, 117	<code>\hss</code>	329, 331, 392, 394
<code>\@textbottom</code>	231, 246	<code>\Huge</code>	530
<code>\@texttop</code>	229, 244	<b>I</b>	
<code>\@</code>	291	<code>\ifnum</code>	32, 103, 121, 138, 147, 148, 163, 189, 195, 204, 205, 220, 258, 298, 309, 325, 350, 357, 368, 385, 414
<b>A</b>		<code>\ifodd</code>	164, 172, 221, 235
<code>\afterassignment</code>	47, 78, 95, 113, 134	<code>\ifpdfcolAvailable</code>	266
<code>\aftergroup</code>	22, 23, 33, 34, 38, 76, 92, 111, 131, 281, 282	<code>\ifvoid</code>	149, 156, 184, 185, 206, 213, 253, 254, 314, 332, 344, 345, 373, 395, 408, 409
<code>\AtEndDocument</code>	452	<code>\ifx</code>	12, 51, 291, 429
<b>B</b>		<code>\interlinepenalty</code>	351, 415
<code>\begin</code>	463, 466, 494, 502, 510, 528	<code>\item</code>	495, 497, 503, 505
<b>C</b>		<b>L</b>	
<code>\color</code>	435, 440, 464, 482, 488	<code>\leftmargin</code>	301, 360
<code>\csname</code>	12	<code>\linewidth</code>	90, 129
<code>\currentgrouplevel</code>	26, 32	<code>\loop</code>	146, 203, 308, 367
<code>\CurrentOption</code>	6	<b>M</b>	
<b>D</b>		<code>\mbox</code>	150, 157, 165, 174, 207, 237
<code>\DeclareOption</code>	5	<code>\MessageBreak</code>	55, 56, 57, 58
<code>\define@key</code>	427	<b>N</b>	
<code>\documentclass</code>	459	<code>\NeedsTeXFormat</code>	2
<code>\dp</code>	320, 338, 380, 402	<code>\newbox</code>	275
<b>E</b>		<code>\newpage</code>	142, 151, 158, 166, 175, 182, 199, 208, 215, 223, 238, 251
<code>\end</code>	499, 507, 509, 527, 535, 537	<code>\noindent</code>	310, 369
<code>\endcsname</code>	12	<code>\normalcolor</code>	423
<code>\endinput</code>	271	<code>\null</code>	214, 222
<code>\everypar</code>	68, 81, 99, 116	<b>P</b>	
<b>F</b>		<code>\PackageInfo</code>	268
<code>\fill</code>	181, 250		
<code>\footnote</code>	72, 86, 104, 106, 122, 124		

`\par` ..... 139, 191, 196, 260, 299, 353, 358, 417, 517  
`\ParallelAfterText` ... 76, 92, 111, 131  
`\ParallelBoolMid` ..... 325, 385  
`\ParallelBoolVar` .. 138, 147, 186, 189, 195, 204, 255, 258, 298, 309, 346, 350, 357, 368, 410, 414  
`\ParallelBoxVar` ..... 319, 321, 337, 339, 379, 381, 401, 403  
`\ParallelCheckOpenBrace` ..... 78, 95, 113, 134  
`\ParallelFNMode` ..... 103, 121  
`\ParallelLBox` ..... 74, 88, 91, 149, 169, 184, 206, 227, 253, 314, 320, 344, 373, 380, 408  
`\ParallelLeftMargin` ..... 312, 371  
`\ParallelLFootnote` ... 72, 86, 106, 124  
`\ParallelLText` ..... 67, 467, 480, 493, 511, 529  
`\ParallelLWidth` .. 75, 89, 90, 315, 374  
`\ParallelMainMidSkip` ..... 326, 386  
`\ParallelPar` ..... 479, 492  
`\ParallelParOnePage` ..... 297  
`\ParallelParTwoPages` ..... 137  
`\ParallelRBox` ..... 109, 127, 130, 156, 178, 185, 213, 242, 254, 332, 338, 345, 395, 402, 409  
`\ParallelRFootnote` ..... 104, 122  
`\ParallelRText` ..... 98, 473, 486, 501, 520, 532  
`\ParallelRWidth` 110, 128, 129, 333, 396  
`\ParallelTextWidth` ..... 313, 372  
`\ParallelWhichBox` ..... 73, 87, 108, 126, 141, 148, 153, 160, 163, 198, 205, 210, 217, 220, 317, 335, 377, 399  
`\parindent` ..... 304, 363  
`\parskip` ..... 303, 362  
`\PassoptionsToPackage` ..... 6  
`\pcp@Box` ..... 275, 278, 286  
`\pcp@cmd` ..... 46, 51, 53, 63  
`\pcp@CmdCheckRedef` 44, 67, 98, 137, 297  
`\pcp@CmdDo` ..... 47, 50  
`\pcp@ColorPatch` ..... 11, 93, 132  
`\pcp@ColorResets` ..... 20, 22, 35  
`\pcp@FixBox` ..... 281, 284  
`\pcp@GobbleNil` ..... 437, 442, 449  
`\pcp@GroupLevel` ..... 26, 32  
`\pcp@OrgAfterGroup` ..... 33, 38  
`\pcp@OrgSetColor` ..... 24, 37, 40  
`\pcp@RuleBetweenColor` ..... 388, 425, 430, 434, 439  
`\pcp@RuleBetweenColorDefault` ... 422, 425, 430  
`\pcp@SetColor` ..... 25, 31  
`\pcp@SetCurrent` ..... 66, 226, 241, 262, 290, 376, 398, 419  
`\pcp@SwitchStack` .... 65, 91, 130, 276  
`\pcp@temp` ..... 428, 429, 432, 435, 440, 444, 446  
`\pdfcolInitStack` ..... 273, 274  
`\pdfcolSetCurrent` ..... 292, 294  
`\pdfcolSetCurrentColor` ..... 279  
`\pdfcolSwitchStack` ..... 277  
`\penalty` ..... 351, 415  
`\ProcessOptions` ..... 8  
`\ProvidesPackage` ..... 3

### R

`\repeat` ..... 190, 259, 352, 416  
`\RequirePackage` ..... 9, 10, 265, 426  
`\reserved@a` ..... 48, 51  
`\rightmargin` ..... 302, 361  
`\rule` ..... 530, 533

### S

`\set@color` ..... 24, 25  
`\setbox` ..... 74, 88, 109, 127, 227, 242, 278, 285, 319, 337, 379, 401  
`\space` ..... 57, 455  
`\splittopskip` ..... 145, 202, 307, 366  
`\strut` ..... 324, 384  
`\strutbox` ..... 320, 338, 380, 402

### T

`\textcolor` ..... 468, 474, 512, 521  
`\textheight` ..... 169, 178, 227, 228, 242, 243, 530, 533  
`\textwidth` ..... 168, 177, 225, 240, 311, 370, 466, 510, 528  
`\the` ..... 26  
`\thepage` ..... 164, 172  
`\typeout` ..... 453, 454, 455, 456, 457

### U

`\unvbox` ..... 230, 245, 286, 287, 321, 339, 381, 403  
`\usepackage` ..... 460, 461

### V

`\value` ..... 221, 235  
`\vbadness` ..... 143, 200, 305, 364  
`\vbox` 74, 88, 109, 127, 169, 178, 228, 243, 278, 285, 318, 336, 378, 400  
`\vfuzz` ..... 144, 201, 306, 365  
`\vrule` ..... 327, 389  
`\vspace` ..... 181, 250  
`\vsplit` ..... 169, 178, 227, 242, 320, 338, 380, 402

### X

`\x` ..... 53, 55, 58, 79, 96, 114, 135

### Z

`\z@` 153, 163, 186, 210, 220, 227, 230, 242, 245, 255, 301, 302, 304, 317, 346, 360, 361, 363, 377, 410  
`\z@skip` ... 145, 202, 303, 307, 362, 366