

# pgfopts — LaTeX package options with pgfkeys\*

Joseph Wright<sup>†</sup>

Released 2010/05/01

## Abstract

Using key–value options for packages and macros is a good way of handling large numbers of options with a clean interface. The `pgfkeys` package provides a very well designed system for defining and using keys, but does not make this available for handling LaTeX class and package options. The `pgfopts` package adds this ability to `pgfkeys`, in the same way that `kvoptions` extends the `keyval` package.

## Contents

<b>1 Introduction</b>	<b>1</b>
<b>2 Installation</b>	<b>2</b>
<b>3 Using the package</b>	<b>2</b>
3.1 Creating options . . . . .	2
3.2 Processing options . . . . .	3
<b>4 Change History</b>	<b>3</b>
<b>5 Index</b>	<b>3</b>

## 1 Introduction

The key–value method for optional arguments is very popular, as it allows the class or package author to define a large number of options with a simple interface. A number of packages can be used to provide the key management system, most of which load or extent the parent `keyval` package. On its own, `keyval` can only be used for parsing the arguments of macros. However, a number of packages have extended the method to processing LaTeX class and package options. This processing is made available as part of two general-purpose packages `xkeyval`

---

\*This file describes version v2.0, last revised 2010/05/01.

<sup>†</sup>E-mail: joseph.wright@morningstar2.co.uk

and `kvoptions`; both allow the author of a class or package to process key–value options given at load-time.

The `pgfkeys` package provides a somewhat different key–value system to `keyval` and derivatives. This uses a completely different model for defining and using keys, although for the end-user the result appears very similar. The `pgfopts` package allows keys defined with `pgfkeys` to be used as class or package options, in the same way that `kvoptions` extends `keyval`.

Users of `pgfopts` should be familiar with the general methods used by `pgfkeys`. These are outlined in the manual for the `Tikz` and `pgf` bundle.

## 2 Installation

The package is supplied in `dtx` format and as a pre-extracted zip file, `pgfopts.tds.zip`. The later is most convenient for most users: simply unzip this in your local `texmf` directory and run `texhash` to update the database of file locations. If you want to unpack the `dtx` yourself, running `tex pgfopts.dtx` will extract the package whereas `latex pgfopts.dtx` will extract it and also typeset the documentation.

Typesetting the documentation requires a number of packages in addition to those needed to use the package. This is mainly because of the number of demonstration items included in the text. To compile the documentation without error, you will need the packages:

- `csquotes`
- `helvet`
- `hypdoc`
- `listings`
- `lmodern`
- `mathpazo`
- `microtype`

## 3 Using the package

### 3.1 Creating options

To create package or class options for use with `pgfopts`, it is only necessary to define the appropriate keys. Taking as an example a package “`MyOwnPackage`”, which uses the prefix `MOP` on internal macros, creating keys would take the form:

```
\pgfkeys{
  /MOP/.cd,
  keyone/.code=\wlog{Value '#1' given},
  keytwo/.store in=\MOP@store
}
```

Here, `keyone` simply writes its argument to the log, while `keytwo` stores the value given in the `\MOP@store` macro.

An important point to notice is that the key names *do not* contain a space. This is because the LaTeX kernel removes spaces from options before they are passed to the class or package. Spaces can occur in the path to the key, but not in the key name itself. This restriction only applies to keys used as options.

### 3.2 Processing options

`\ProcessPgfOptions` The `\ProcessPgfOptions` macro is used to process package or class options using `pgfkeys`. When used in a package, it will also examine the available class options, and use any which match declared package options. `\ProcessPgfOptions` requires the `pgfkeys` key `<path>` to search for options. Thus for the example of `MyOwnPackage` given in the previous section, the appropriate call would be

```
\ProcessPgfOptions{/MOP}
```

Alternatively, `\ProcessPgfOptions` can be given with a star:

```
\ProcessPgfOptions*
```

The macro will then use the current file name as the path. This will be the name of the current class or package, as appropriate.

`\ProcessPgfPackageOptions` As a complement to `\ProcessPgfOptions`, the macro `\ProcessPgfPackageOptions` is also provided. As the name indicates, this is intended for use in packages. It does *not* examine the list of global class options, processing only the list of options given for the class itself. If used in a class, the behaviour will be identical to `\ProcessPgfOptions`.

## 4 Change History

v1.0		New <code>\ProcessPgfPackageOptions</code> macro
	General: First public release	..... 1 3
v2.0	General: Complete internal rewrite	..... 1

## 5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in **roman** refer to the code lines where the entry is used.

	<b>P</b>	<code>\ProcessPgfPackageOptions</code>
<code>\ProcessPgfOptions</code>	.. 3	..... 3