

CURLOPT_CHUNK_END_FUNCTION(3) curl_easy_setopt options CURLOPT_CHUNK_END_FUNCTION(3)

NAME

CURLOPT_CHUNK_END_FUNCTION – callback after a transfer with FTP wildcardmatch

SYNOPSIS

```
#include <curl/curl.h>
```

```
long chunk_end_callback(void *ptr);
```

```
CURLcode curl_easy_setopt(CURL *handle, CURLOPT_CHUNK_END_FUNCTION,  
                           chunk_end_callback);
```

DESCRIPTION

Pass a pointer to your callback function, which should match the prototype shown above.

This function gets called by libcurl as soon as a part of the stream has been transferred (or skipped).

Return *CURL_CHUNK_END_FUNC_OK* if everything is fine or **CURL_CHUNK_END_FUNC_FAIL** to tell the lib to stop if some error occurred.

DEFAULT

NULL

PROTOCOLS

FTP

EXAMPLE

TODO

AVAILABILITY

Added in 7.21.0

RETURN VALUE

Returns CURLE_OK if the option is supported, and CURLE_UNKNOWN_OPTION if not.

SEE ALSO

CURLOPT_WILDCARDMATCH(3), **CURLOPT_CHUNK_BGN_FUNCTION(3)**,